http://www.jourmag.org/index.php/jma

Journal of Magnetism and Its Applications

Received November 9th 2022 received in revised December 14th 2022 accepted December 22th 2022

Research articles

Magnetic Characterization Techniques for Advanced Functional Materials

David L. Thompson
Department of Physics and Astronomy, University of Manchester, Manchester, United Kingdom

Article info

Keywords:
Magnetic characterization, Magnetic materials, Magnetometry, Spintronics, Magnetic anisotropy, Nanomagnetism, Magnetic microscopy, Functional materials

Abstract

Magnetic characterization techniques play a fundamental role in understanding the physical properties of advanced functional materials used in modern technological applications. These materials, including magnetic nanomaterials, spintronic devices, and multifunctional composites, require precise evaluation of their magnetic behavior to optimize performance. Techniques such as vibrating sample magnetometry, superconducting quantum interference device magnetometry, magnetic force microscopy, and ferromagnetic resonance provide detailed insights into magnetic parameters including magnetization, coercivity, anisotropy, and spin dynamics. These characterization methods enable researchers to study magnetic domain structures, magnetic phase transitions, and nanoscale magnetic interactions. This article reviews the key magnetic characterization techniques used in advanced functional materials research, emphasizing their working principles, advantages, and applications in materials science and nanotechnology. The paper also highlights emerging characterization approaches that support the development of next-generation magnetic materials for electronics, energy systems, and biomedical technologies.

1. Introduction

Advanced functional materials with magnetic properties have become increasingly important in modern technology, particularly in areas such as spintronics, data storage, biomedical devices, and energy systems. These materials exhibit complex magnetic behaviors that arise from atomic-scale interactions between magnetic moments, crystal structures, and external magnetic fields. Understanding these magnetic properties is essential for designing materials with tailored functionalities and improved performance. Magnetic characterization refers to the set of experimental techniques used to measure and analyze the magnetic properties of materials. These properties include magnetization, coercivity, magnetic anisotropy, magnetic susceptibility, and domain structures. By examining these parameters, researchers can gain insights into the underlying physical mechanisms that govern magnetic behavior. Modern materials science relies heavily on advanced characterization tools to study magnetic phenomena at both macroscopic and microscopic scales. Techniques such as magnetometry provide quantitative measurements of magnetization, while magnetic imaging techniques allow visualization of domain structures at nanoscale resolution. These methods are essential for evaluating materials used in high-density storage devices, magnetic sensors, and spintronic components. The rapid development of nanotechnology and multifunctional materials has increased the demand for more sophisticated magnetic characterization techniques. New experimental approaches and hybrid measurement systems are being developed to study magnetic properties with higher spatial resolution, sensitivity, and temporal precision. These advancements are critical for understanding the behavior of magnetic materials in emerging technological applications.

Magnetometry Techniques

Magnetometry techniques are fundamental tools in the characterization of magnetic materials because they provide quantitative measurements of magnetization and its dependence on external magnetic fields, temperature, and time. These techniques are essential for determining key magnetic parameters such as saturation magnetization, coercivity, remanence, and magnetic susceptibility. By analyzing magnetic hysteresis loops, researchers can evaluate how a material responds to an applied magnetic field and identify whether it exhibits ferromagnetic, ferrimagnetic, antiferromagnetic, or paramagnetic behavior. One of the most widely used techniques in magnetic characterization is vibrating sample magnetometry (VSM). In this method, the sample is placed within a uniform magnetic field and mechanically vibrated at a fixed frequency. As the magnetized sample oscillates, it produces a time-varying magnetic flux that induces an electrical signal in surrounding pickup coils. The amplitude of this signal is directly proportional to the magnetic moment of the sample. VSM systems are valued for their relatively simple design, rapid measurement capability, and ability to measure a wide range of magnetic materials including thin films, bulk materials, and nanoparticles. VSM measurements are particularly useful for obtaining magnetic hysteresis curves, which provide detailed information about the magnetic behavior of a material under varying magnetic field strengths. These curves reveal important characteristics such as coercivity and remanent magnetization, which are crucial for evaluating materials used in magnetic storage devices, permanent magnets, and electromagnetic components. Another highly sensitive technique used in magnetic characterization is superconducting quantum interference device (SQUID) magnetometry. SQUID magnetometers utilize superconducting loops containing Josephson junctions that respond to extremely small variations in magnetic flux. Because of their exceptional sensitivity, SQUID systems can detect magnetic signals several orders of magnitude smaller than those detectable by conventional magnetometers. This capability makes SQUID magnetometry particularly valuable for studying weakly magnetic materials, nanostructures, and biological magnetic systems. In addition to VSM and SQUID magnetometry, other advanced magnetometry techniques are also used in specialized applications. Alternating gradient magnetometry (AGM) measures magnetic moments by applying a magnetic field gradient that produces a force on the magnetized sample. Torque magnetometry measures the torque experienced by a magnetic sample in a magnetic field, providing valuable insights into magnetic anisotropy and spin orientation. These techniques collectively contribute to a comprehensive understanding of magnetic material behavior. Temperature-dependent magnetometry measurements are also widely used to study magnetic phase transitions, such as the transition from ferromagnetic to paramagnetic states at the Curie temperature. By analyzing how magnetization changes with temperature, researchers can determine the thermal stability of magnetic materials and evaluate their suitability for high-temperature applications.

*Corresponding author
Email: david.thompson@manchester.ac.uk
DOI: 10.53533/JMA.v2i1.22

Magnetic Imaging Techniques

While magnetometry techniques provide bulk magnetic measurements, magnetic imaging techniques allow researchers to directly visualize magnetic domain structures and local magnetic interactions within materials. These techniques offer spatially resolved information that is crucial for understanding nanoscale magnetic phenomena and for optimizing the performance of advanced magnetic devices. One of the most widely used magnetic imaging methods is magnetic force microscopy (MFM), which is a specialized form of atomic force microscopy. In MFM, a magnetized probe scans the surface of a magnetic sample while maintaining a small separation distance. The magnetic interactions between the probe and the sample surface create forces that slightly deflect the cantilever holding the probe. By measuring these deflections, the system generates images that reveal the distribution of magnetic domains and domain walls across the sample surface. MFM is particularly valuable for studying nanoscale magnetic structures in materials such as thin films, magnetic nanoparticles, and patterned magnetic devices. The technique can achieve spatial resolutions on the order of tens of nanometers, allowing researchers to analyze domain configurations and magnetic switching behavior in modern nanomagnetic systems. Another powerful imaging technique used in magnetic materials research is Lorentz transmission electron microscopy (Lorentz TEM). This method utilizes the interaction between electron beams and magnetic fields inside a specimen to visualize magnetic structures. When an electron beam passes through a magnetic material, internal magnetic fields deflect the electrons slightly from their original trajectories. By analyzing these deflections, researchers can obtain high-resolution images of magnetic domains and domain walls. Lorentz TEM is particularly useful for studying dynamic magnetic processes such as domain wall motion and magnetization reversal mechanisms. Because the technique operates within a transmission electron microscope, it can achieve spatial resolutions much higher than many other magnetic imaging techniques, making it suitable for investigating nanoscale magnetic structures. Another advanced magnetic imaging method is spin-polarized scanning tunneling microscopy (SP-STM), which enables atomic-scale investigation of magnetic surfaces. In this technique, a spin-polarized probe interacts with the electronic spin states of atoms on the sample surface, allowing researchers to map magnetic structures with extremely high resolution. In addition, X-ray magnetic circular dichroism (XMCD) imaging and scanning electron microscopy with polarization analysis (SEMPA) are increasingly used to study magnetic materials. XMCD provides element-specific magnetic information by measuring the difference in absorption of circularly polarized X-rays, while SEMPA can map the vector orientation of surface magnetization. Together, these magnetic imaging techniques provide detailed insights into magnetic domain structures, nanoscale magnetic interactions, and magnetization dynamics. By combining imaging methods with magnetometry measurements, researchers can achieve a comprehensive understanding of magnetic materials, which is essential for the development of advanced technologies such as spintronic devices, magnetic memory systems, and nanoscale magnetic sensors.

Spectroscopic and Resonance-Based Techniques

Spectroscopic and resonance-based techniques play a vital role in the investigation of magnetic phenomena, particularly in understanding dynamic spin behavior and magnetic interactions at microscopic and atomic scales. These methods are especially valuable because they provide information about how magnetic moments respond to external electromagnetic fields and how spins interact with their surrounding environments. By analyzing resonance signals and spectral patterns, researchers can extract detailed information about magnetic anisotropy, exchange interactions, damping mechanisms, and spin relaxation processes in functional materials. One of the most widely used techniques in this category is ferromagnetic resonance (FMR). FMR is based on the principle that magnetic moments in a ferromagnetic material precess around an applied magnetic field at a characteristic frequency. When microwave radiation with a frequency matching this natural precession frequency is applied, resonance occurs and the material absorbs energy from the microwave field. This resonance absorption can be measured and analyzed to determine key magnetic parameters. FMR measurements provide valuable information about magnetic anisotropy, which describes the preferred orientation of magnetic moments within a material. Understanding anisotropy is essential for designing magnetic devices such as spintronic components and magnetic memory elements, where controlled magnetization switching is required. Additionally, FMR can be used to determine magnetic damping parameters, which describe how quickly magnetic oscillations decay due to energy dissipation. These damping properties are critical for evaluating materials intended for high-frequency spintronic and magnonic applications. Another important technique closely related to FMR is electron spin resonance (ESR), also known as electron paramagnetic resonance (EPR). ESR spectroscopy is particularly useful for studying materials that contain unpaired electrons, such as paramagnetic ions, defects in crystals, and certain nanostructured materials. In ESR experiments, the sample is exposed to microwave radiation while an external magnetic field is gradually varied. Resonance occurs when the energy difference between spin states matches the energy of the microwave photons. ESR provides detailed insights into the local magnetic environment of electrons, including information about spin–spin interactions, hyperfine interactions with atomic nuclei, and the electronic structure of magnetic ions. This technique is widely used in materials science, chemistry, and biology to study defects in semiconductors, transition metal complexes, and biological molecules containing paramagnetic centers. Additional spectroscopic techniques are also employed to investigate magnetic properties. Brillouin light scattering (BLS) spectroscopy is used to study spin wave excitations in magnetic materials by analyzing the frequency shift of light scattered from spin waves. BLS is particularly useful for investigating magnon dynamics and spin wave dispersion in thin films and nanostructures. Together, these spectroscopic techniques provide a comprehensive understanding of magnetic excitations and dynamic magnetic behavior in advanced materials.

Advanced Nanoscale Characterization Methods

As magnetic devices continue to shrink to nanoscale dimensions, traditional characterization techniques often become insufficient for resolving extremely small magnetic features. Advanced nanoscale characterization methods have therefore become essential for studying magnetic phenomena in nanostructures, thin films, and atomic-scale systems. These techniques enable researchers to observe magnetic structures and interactions with unprecedented spatial resolution. One of the most powerful nanoscale techniques is X-ray magnetic circular dichroism (XMCD). XMCD is a synchrotron-based spectroscopic technique that exploits the difference in absorption between left- and right-circularly polarized X-rays when they interact with magnetic materials. Because the absorption process depends on the spin orientation of electrons, XMCD provides direct information about the magnetic state of specific elements within a material. An important advantage of XMCD is its element-specific sensitivity, which allows researchers to study the magnetic contributions of individual elements in complex multilayer or composite materials. This capability is particularly useful in the analysis of magnetic heterostructures, spintronic devices, and multilayer thin films where multiple magnetic elements interact. Another powerful nanoscale technique is spin-polarized scanning tunneling microscopy (SP-STM). This method is an extension of conventional scanning tunneling microscopy in which the probe tip is magnetically polarized. When the tip scans across a magnetic surface, the tunneling current depends not only on the electronic structure but also on the relative orientation of spins in the tip and the sample. SP-STM enables atomic-scale imaging of magnetic structures, making it possible to observe individual magnetic atoms, spin arrangements, and nanoscale magnetic domains. This technique has been instrumental in advancing our understanding of atomic-scale magnetism, spin textures, and exotic magnetic states such as skyrmions. Another emerging method is X-ray photoemission electron microscopy (XPEEM) combined with magnetic contrast techniques. This method allows researchers to map magnetic domain structures with high spatial resolution while simultaneously analyzing chemical composition. These advanced imaging techniques are essential for investigating next-generation magnetic materials used in data storage, spintronics, and quantum technologies.

Applications in Functional Materials Research

Magnetic characterization techniques are essential for advancing the development of functional materials that play key roles in modern technological systems. These materials are used in a wide range of applications including information storage, sensing technologies, biomedical devices, and energy systems. Accurate characterization of their magnetic properties enables researchers to design materials with optimized performance and enhanced functionality. One of the most significant areas of application is spintronics, where electronic devices exploit both the charge and spin of electrons. Magnetic characterization techniques are used to study spin transport mechanisms, magnetic anisotropy, and interfacial magnetic interactions in thin-film structures. These measurements are critical for improving the performance of spintronic devices such as magnetic random-access memory (MRAM), spin valves, and magnetic tunnel junctions. In the field of biomedicine, magnetic nanoparticles are widely used in applications such as targeted drug delivery, magnetic resonance imaging (MRI), and magnetic hyperthermia therapy for cancer treatment. Magnetic characterization techniques help determine the magnetic behavior, particle size distribution, and

magnetic response of these nanoparticles. Understanding these parameters is essential for ensuring the safety, effectiveness, and biocompatibility of magnetic nanomaterials used in medical treatments. Magnetic materials also play a crucial role in energy technologies, particularly in devices such as transformers, electric motors, and inductors. Characterization techniques are used to evaluate magnetic losses, hysteresis behavior, and magnetization dynamics in these materials. Improving these properties can significantly increase the efficiency of electrical energy conversion and reduce energy losses in power systems. In addition, magnetic characterization is essential in renewable energy systems and smart technologies, including magnetic sensors used in wind turbines, electric vehicles, and smart grid infrastructure. Advanced magnetic materials with optimized performance characteristics are required to meet the increasing demand for efficient and sustainable energy technologies. Overall, magnetic characterization techniques provide the fundamental knowledge required to design and optimize advanced functional materials. As technological applications continue to evolve, the development of more precise and high-resolution characterization methods will remain critical for driving innovation in materials science and magnetic device engineering.

Summary

Magnetic characterization techniques are essential tools for understanding the magnetic behavior of advanced functional materials. Methods such as vibrating sample magnetometry and SQUID magnetometry provide quantitative measurements of magnetic properties, while imaging techniques such as magnetic force microscopy and Lorentz transmission electron microscopy enable visualization of magnetic domain structures. Spectroscopic techniques including ferromagnetic resonance and electron spin resonance offer valuable insights into spin dynamics and magnetic interactions. Meanwhile, advanced nanoscale methods such as X-ray magnetic circular dichroism and spin-polarized scanning tunneling microscopy allow researchers to analyze magnetic properties at atomic and nanometer scales. As materials science continues to advance toward nanoscale and multifunctional systems, the role of magnetic characterization techniques will become even more important. These techniques provide the experimental foundation for developing new magnetic materials used in spintronics, energy systems, and biomedical technologies. Continued innovation in characterization methods will further enhance our ability to understand and control magnetic phenomena in advanced functional materials.

References

[1] Cullity, B. D., & Graham, C. D. (2011). Introduction to Magnetic Materials. Wiley.
[2] O'Handley, R. C. (2000). Modern Magnetic Materials: Principles and Applications. Wiley.
[3] Chikazumi, S. (2009). Physics of Ferromagnetism. Oxford University Press.
[4] Coey, J. M. D. (2010). Magnetism and Magnetic Materials. Cambridge University Press.
[5] Bader, S. D. (2006). Colloquium: Opportunities in nanomagnetism. Reviews of Modern Physics, 78(1), 1–15.
[6] Hubert, A., & Schäfer, R. (1998). Magnetic Domains: The Analysis of Magnetic Microstructures. Springer.
[7] Stöhr, J., & Siegmann, H. (2006). Magnetism: From Fundamentals to Nanoscale Dynamics. Springer.
[8] Heinrich, B., & Cochran, J. F. (1993). Ultrathin metallic magnetic films. Advances in Physics, 42(5), 523–639.
[9] Gambardella, P., & Miron, I. (2011). Current-induced spin–orbit torques. Philosophical Transactions of the Royal Society A, 369, 3175–3197.
[10] Parkin, S. S. P., Hayashi, M., & Thomas, L. (2008). Magnetic domain-wall racetrack memory. Science, 320(5873), 190–194.
[11] Kruglyak, V. V., Demokritov, S. O., & Grundler, D. (2010). Magnonics. Journal of Physics D, 43(26), 264001.
[12] Binnig, G., & Rohrer, H. (1987). Scanning tunneling microscopy. Reviews of Modern Physics, 59(3), 615–625.